



QEEG Clinical Report

BrainLens V0.4

Report Description



Personal & Clinical Data

Name	Monir Sadat Nezamodini	Date of Recording	26-Feb-2025
Date of Birth - Age	23-Dec-1959 - 65.18	Gender	Female
Handedness(R/L)	Left	Source of Referral	Panah Clinic
Initial Diagnosis	MDD		
Current Medication	Fluoxetine-Nortriptyline		


Panah Clinic

Summary Report


EEG Quality




Z-score Information




Compatibility with Depression





Compatibility with Mood Swing




Arousal Level




Cognitive Performance




Compatibility with Anxiety



Compatibility with Dementia



TMS Responsibility



APF


Posterior APF-EC= 09.75

Posterior APF-EO= 09.50


To investigate QEEG-based predicting medication response, please refer to the Report.

Denoising Information (EC)

Raw EEG




Denoised EEG



Flat Channels



Rejected Channels



Number of Eye and Muscle Elements

Eye	2	Muscle	2
-----	---	--------	---

Total Artifact Percentage



EEG Quality

good

Low Artifact Percentage



High Artifact Percentage




Total Recording Time Remaining


308.36 sec

Denoising Information (EO)

Raw EEG



Denoised EEG



Flat Channels



Rejected Channels



Number of Eye and Muscle Elements

Eye	3	Muscle	3
-----	---	--------	---

Total Artifact Percentage



EEG Quality

good

Low Artifact Percentage



High Artifact Percentage




Total Recording Time Remaining


337.30 sec

Pathological assessment for mood disorders and adult ADHD



Compare to Mood Disorders Database





Compare to Adult ADHD Database





EEG Compatibility with Depression Diagnosis



EEG Compatibility with Anxiety Diagnosis




EEG Compatibility with Mood Swing Diagnosis *



* This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).


Depression and Adult ADHD Diagnosis Probabiliy



Cognitive Functions Asessment




Arousal Level Detection





Pathological Assessment for Dementia

Compare to Dementia Database




EEG Compatibility with Dementia Diagnosis




Cognitive Functions Assessment



Arousal Level Detection



QEEG based predicting medication response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmacoe EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation


These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

rTMS Response Prediction


Network Performance

Accuracy: 92.1%
Sensitivity: 89.13%
Specificity: 97.47%


Participants Information




Features Information



Responsibility




Data Distribution



About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.


APF(EO)



Frontal APF= 09.50

Posterior APF= 09.50




APF(EC)




Frontal APF= 09.75

Posterior APF= 09.75


EEG Spectra




Alpha Asymmetry(AA)




Alpha Blocking




Z Score Summary Information (EC)




Z Score Summary Information (EO)






E.C.T/B Ratio (Raw- Z Score)




E.O.T/B Ratio (Raw- Z Score)




Arousal Level




Absolute Power-Eye Closed (EC)



Relative Power-Eye Closed (EC)



Absolute Power-Eye Open (EO)



Relative Power-Eye Open (EO)

