





QEEG Clinical Report BrainLens V0.4

Report Description

Personal & Clinical Data


Name	Hossein Golzar	Date of Recording	2025-03-15				
Date of Birth - Age	1958-03-24 - 67.2	Gender	Male				
Handedness(R/L)	Right	Source of Referral	Asayesh Psychiatric Clinic -				
Initial Diagnosis	CVA-HTN-Opium-Muscle pain						
Current Medication		-					

Asayesh Psychiatric Clinic -Dr Torabi







🚃 Z Score Summary Information (EC) 🥟




Z Score Summary Information (EO)




E.C.T/B Ratio (Raw- Z Score)




E.O.T/B Ratio (Raw- Z Score)





Arousal Level











APF(EO)



Frontal APF= 08.75

Posterior APF= 09.38


APF(EC)




Frontal APF= 09.00

Posterior APF= 09.75


EEG Spectra



Alpha Asymmetry(AA)




Alpha Blocking







QEEG based predicting medication response



Explanation



Medication Recommendation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com.

two charts, calculate probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.





Report

گزارش: 1
نتایج تشخیصی:
1







rTMS Response Prediction

Network Performance


Accuracy: 92.1% Sensitivity: 89.13% Specificity: 97.47%




Features Information



Responsibility



Data Distribution



About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.





Pathological assessment for mood disorders and adult ADHD

Compare to Mood Disorders Database





















Compare to Adult ADHD Database

























EEG Compatibility with Depression Diagnosis







EEG Compatibility with Anxiety Diagnosis





EEG Compatibility with Mood Swing Diagnosis *






^{*} This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).






Depression and Adult ADHD Diagnosis Probabiliy



Cognitive Functions Asessment



Arousal Level Detection









Pathological Assessment for Substance Abuse

Relapse Index





Comorbid Symptoms



The Relapse graph shows the relapse index based on a combination of EEG neuromarkers. If the type of substance your patient uses is included in this chart, you can read its relapse rate. The condition for using this chart is that the patient consumes each substance specified in the chart. If your patient does not consume each of the substances specified in the chart, the index shown is not valid.

Subsance Abuse Compatibiliy






The Compatibility graph shows the compatibility of the patient's EEG neuromarkers and the alternations that the specific substance causes in the EEG. In other words, this chart indicates that your patient has how percentage of validated neuromarkers due to the use of specific substances. Using this chart, you can figure out how substances have affected EEG and if multiple drugs were used, which one has the most dominant effect. If your patient does not consume each of the substances specified in the chart, the index shown is not

Functional Problems Source Detection

Eyes Closed



Freq = 0.5 Hz











Brodmann area 18 Inferior Occipital Gyrus



20







Brodmann area 10 Middle Frontal Gyrus

, NOT Found *,*





Pathological Assessment for Dementia

Compare to Dementia Database























EEG Compatibility with Dementia Diagnosis






Cognitive Functions Assessment




Arousal Level Detection








Denoising Information (EC)



Number of Eye and Muscle Elements			Low Artifact Percentage			
Eye	1	Muscle	0			
Total Artifact Percentage			High Artifact Percentage			
0				0		
EEG Qual	ity	good	·	Total Recording Time Remaining 230.87 sec		

Denoising Information (EO)




Number of Eye and Muscle Elements			Low Artifact Percentage		
Eye	2	Muscle	0	0	
Total Artifact Percentage			High Artifact Percentage		
()			0		
EEG Quality		good		Total Recording Time Remaining	232.86 sec






Absolute Power-Eye Closed (EC) 🤣





Relative Power-Eye Closed (EC) 🌮









Absolute Power-Eye Open (EO) 🕢





Relative Power-Eye Open (EO) 🕢









Low Arousal


Good

Cognitive Performance






Relative Power




Compatibility with Anxiety



Compatibility with Dementia



TMS Responsibility





Posterior APF-EC= 09.75

Posterior APF-EO= 09.38

To investigate QEEG-based predicting medication response, please refer to the Report.

Z-score Information Compatibility with Depression Depression Compatibility Compatibility with Mood Swing Arousal Level

Normal

High arousal

Hossein Golzar\Asayesh Psychiatric Clinic - Dr Torabi