





QEEG Clinical Report BrainLens V0.4

Report Description

Personal & Clinical Data


Name	Artin Safariyan	Date of Recording	01-Nov-2023	
Date of Birth - Age	14-Nov-2004 - 18.96	Gender	Male	
Handedness(R/L)	Right	Source of Referral	Dr Akbari	
Initial Diagnosis	Adult ADHD -Bipolar Disorder			
Current Medication	Propranolol-Asentra-Tranqopine-Lamotrigine			

Dr Akbari






Denoising Information (EC)



Number of Eye and Muscle Elements		Low Artifact Percentage			
Eye 0 Muscle 0		0			
Total Artifac	Total Artifact Percentage		High Artifact Percentage		
		0			
EEG Quality		bad		Total Recording Time Remaining	231.54 sec

Denoising Information (EO)



Number of	lumber of Eye and Muscle Elements		Low Artifact Percentage		
Eye	1	Muscle	0	()	
Total Artifa	al Artifact Percentage			High Artifact Percentage	
	0				
EEG Quality	,	bad		Total Recording Time Remaining 209.22 sec	






Pathological assessment for Depression

Compare to Depression Database





Depression Probability

Depression Table		EC	EO		
Feature Name	Threshold	Region	Threshold	Region	
Increased Global rAlpha	0.00	NAN	0.00	NAN	
Increased global rTheta	0.00	NAN	0.00	NAN	
Decreased rDelta	0.00	NAN	0.00	NAN	
Increased rBeta	0.00	NAN	0.00	NAN	
Left FAA	0.00	NAN	0.00	NAN	
Right OAA	0.00	NAN	0.00	NAN	
Decreased Coherence	0.00	NAN	0.00	NAN	
Increased Coherence	0.00	NAN	0.00	NAN	
dep -					

Depression Severity










rTMS Response Prediction


Network Performance

Accuracy: 92.1% Sensitivity: 89.13% Specificity: 97.47%


Participants Information




Features Information



Responsibility



Data Distribution




About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.






IAF(EO)




Eye Open IAF= 10.12

IAF(EC)




Eye Close IAF= 10.38

EEG Spectra



Alpha Asymmetry(AA)




Alpha Blocking









Z Score Summary Information (EC)




Z Score Summary Information (EO)




E.C.T/B Ratio (Raw- Z Score)





E.O.T/B Ratio (Raw- Z Score)











Absolute Power-Eye Closed (EC) 🌮




Relative Power-Eye Closed (EC) ớ







Absolute Power-Eye Open (EO) 🕢



Relative Power-Eye Open (EO)

