npcindex www.npcindex.com 021-44 47 74 67

QEEG Clinical Report

BrainLens V0.4

دکتر سمانه ساداراتِ مسجدی
متخصص مغز و اعصاب

Report Description

Personal & Clinical Data

Name	Maryam Peste	Date of Recording	2025-09-20
Date of Birth - Age	1991-03-26 - 34.6	Gender	Female
Handedness(R/L)	Right	Source of Referral	Dr Masjedi
Initial Diagnosis	Anxiety-Migraine		
Current Medication	-		

Dr Masjedi

Summary Report

EEG Quality

Z-score Information





Absolute Power

Relative Power

Compatibility with Depression



Compatibility with Anxiety



Compatibility with Mood Swing



TMS Responsibility



Arousal Level



Cognitive Performance

APF

Posterior APF-EC= 11.25

Posterior APF-EO= 10.50

To investigate QEEG-based predicting medication response, please refer to the Report.

Maryam Peste\Dr Masjedi

Maryam Peste\Dr Masjedi

Denoising Information (EC)

Raw EEG



Denoised EEG



Flat Channels

Rejected Channels

Number of Eye and Muscle Elements			
Eye	0	Muscle	0
Total Artifact Percentage			
EEG Quality	bad		

Low Artifact Percentage	
High Artifact Percentage	
Total Recording Time Remaining	314.53 sec

Denoising Information (EO)

Raw EEG



Denoised EEG



Flat Channels

Rejected Channels

Number of Eye and Muscle Elements			
Eye	1	Muscle	0
Total Artifact Percentage			
EEG Quality	bad		

Low Artifact Percentage	
High Artifact Percentage	
Total Recording Time Remaining	106.90 sec

Maryam Peste\Dr Masjedi

Pathological assessment for mood disorders and adult ADHD

Compare to Mood Disorders Database



Compare to Adult ADHD Database



EEG Compatibility with Depression Diagnosis





EEG Compatibility with Anxiety Diagnosis





EEG Compatibility with Mood Swing Diagnosis *



* This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).

Depression and Adult ADHD Diagnosis Probabiliy



Cognitive Functions Asessment



Arousal Level Detection



QEEG based predicting medication response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

Maryam Peste\Dr Masjedi

rTMS Response Prediction

Network Performance

Accuracy: 92.1%
Sensitivity: 89.13%
Specificity: 97.47%

Participants Information







Features Information



Responsibility



Data Distribution



About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.

Maryam Peste\Dr Masjedi

APF(EO)



Frontal APF= 10.92

Posterior APF= 10.50

APF(EC)



Frontal APF= 11.00

Posterior APF= 11.25

EEG Spectra



Alpha Asymmetry(AA)



Alpha Blocking

Maryam Peste\Dr Masjedi

Z Score Summary Information (EC)



Z Score Summary Information (EO)



E.C.T/B Ratio (Raw- Z Score)





Arousal Level





E.O.T/B Ratio (Raw- Z Score)





Maryam Peste\Dr Masjedi

Absolute Power-Eye Closed (EC)

Relative Power-Eye Closed (EC)



Maryam Peste\Dr Masjedi

Absolute Power-Eye Open (EO)



Relative Power-Eye Open (EO)