QEEG Clinical Report

EEGLens

The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Behdadbiniyaz
Gender: Male
Age: 2009-08-03 - 16.3
Handedness: Right

Clinical Data:

Initial diagnosis: Anxiety
Medication: -
Date of Recording: 2025-10-05
Source of Referral: Kamal Barzegar Ghazi

This case belongs to Kamal Barzegar Ghazi

EEG Quality

EC

Z-score Information

EC



TMS Reponsibility



Pathological Assessment



EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
AFP	Frontal	10.92	High
AFP	Occipital	10.75	High
Arousal Level	-	-	Normal

Denoising Information

Eye Close

Raw EEG



Rejected Channel

Denoised EEG



Flat Channel

Total Recording Time Remaining:
212.55 sec

Number of Eye and Muscle Elements
Eye: 2
Muscle: 0

Low Artifact Percentage

High Artifact Percentage

Total Artifact Percentage

EEG Quality: perfect

Pathological Assessment

Main Diagnosis: Children Disorder



ADHD Subtypes

1. Same inattentive and hyperactive prevalence, may be anxious, may be highly intelligent, need sufficient sleep, and should avoid high arbohydrate inbtake. Consider clonidine

Description

According to the guidelines, psychiatric disorders in children (under 17 years) include *ADHD, learning disorder (LD), PTSD, OCD, depression, and anxiety.*

In the above graph, the red area shows the percentage of each disorder from your patient's EEG markers. Observe that each disorder marker is not unique and can be shared with others.

References:

Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2025). Kaplan and Sadock's comprehensive textbook of psychiatry (11th ed., Vols. 1–2). Wolters Kluwer

Sadock, B. J., Sadock, V. A., & Ruiz, P. (2022). Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry (12th ed.). Wolters Kluwer

User Manual



QEEG Based Predicting Medication Response





Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

rTMS Response Prediction

Network Performance

Accuracy: 92.10%
Sensitivity: 89.13%
Specificity: 97.47%

Participants Information





Features Information



Responsibility



Data Distribution



About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.

Vigilance



Vigilance Slope

0.81

2min



EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
AFP	Frontal	10.92	High
AFP	Occipital	10.75	High
Alpha Asymmetry	Frontal	-0.09	Anhedonia
Alpha Asymmetry	Occipital	00.08	Anxiety
Beta Asymmetry	Frontal	-0.05	Anxiety
Arousal Level	-	-	Normal
Vigilance Level	-	05.00	Normal
Vigilance Mean	-	04.29	Normal
Vigilance Regulation	-	00.81	High
Vigilance 0 Stage (%)	-	00.00	Normal
Vigilance A1 Stage (%)	-	66.51	-

EEG Spectra


EC1
Delta
2.5 HZ
Theta
8 HZ
Alpha
11 HZ
Beta
13 HZ
HBeta
21.5 HZ
1
0


Fp1
Fp2
F7
F3
Fz
F4
F8
T3
C3
Cz
C4
T4
T5
P3
Pz
P4
T6
O1
O2
59.2
29.6
0
0 10 20 30
EC1


Source&High ValueError
SourceError
Normal
SourceError
Source&Low ValueError

Z Score Summary Information

Eye Close

Absolute Power



Relative Power

Generation Source



Coherence

Theta/Beta Ratio

Eye Close



Raw ThetaBeta

Z- ThetaBeta EC

Absolute Power-Eye Close



Relative Power-Eye Close