QEEG Clinical Report

EEGLens





The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Aliakbar Ghiyasi

Gender: Male

Age: 2018-04-27 - 7.6 Handedness: Left

Clinical Data:

Initial diagnosis: ADHD

Medication: -

Date of Recording: 2025-10-06

Source of Referral: Asayesh Psychiatric Clinic - Dr Torabi

This case belongs to Asayesh Psychiatric Clinic - Dr













Z Score Summary Information

Eye Open




Theta/Beta Ratio








Vigilance



Vigilance Slope -0.00

2min




EEG Neuromarker Values


Neuromarker	Region	Value	Assessment
AFP	Frontal	09.50	High
AFP	Occipital	09.88	High
Alpha Asymmetry	Frontal	00.12	Anxiety
Alpha Asymmetry	Occipital	00.07	Anxiety
Beta Asymmetry	Frontal	00.11	Anhedonia
Arousal Level		-	Normal
Vigilance Level		06.00	Normal
Vigilance Mean		06.00	Normal
Vigilance Regulation		-0.00	Normal
Vigilance 0 Stage (%)		100.00	High
Vigilance A1 Stage (%)		00.00	-






EEG Spectra












QEEG Based Predicting Medication Response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.





Report

گزارش:

.1

نتایج تشخیصی:


.1





Pathological Assessment

Main Diagnosis: Children Disorder



ADHD Subtypes


1. Same inattentive and hyperactive prevalence. Well respond to stimulants.

Description

According to the guidelines, psychiatric disorders in children (under 17 years) include ADHD, learning disorder (LD), PTSD, OCD, depression, and anxiety. In the above graph, the red area shows the percentage of each disorder from your patient's EEG markers. Observe that each disorder marker is not unique and can be shared with others.

References: Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2025). Kaplan and Sadock's comprehensive textbook of psychiatry (11th ed., Vols. 1–2). Wolters Kluwer Sadock, B. J., Sadock, V. A., & Ruiz, P. (2022). Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry (12th ed.). Wolters Kluwer

User Manual










Denoising Information

Eye Open













Absolute Power-Eye Open



Relative Power-Eye Open





EEG Quality

ΕO




Z-score Information

Generation Source Relative Power Absolute Power Office Power Absolute Power Office Power Office

EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
AFP - EO	Frontal	09.50	High
AFP - EO	Occipital	09.88	High
Arousal Level - EO		-	Normal

■ Pathological Assessment



QEEGhome Clinical Report