QEEG Clinical Report

EEGLens





The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Rataradfar15fr

Gender: Female

Age: 2010-06-25 - 15.4 Handedness: Right

Clinical Data:

Initial diagnosis: Social Anxiety

Medication: -

Date of Recording: 2025-10-09 Source of Referral: Navid Karami

This case belongs to Navid Karami












■ EEG Quality

ΕO




Z-score Information



EEG Neuromarker Values

Neuromarker R	Region	Value	Assessment
AFP - EO F	rontal	11.00	High
AFP - EO	Occipital	11.00	High
Arousal Level - EO		-	Normal

■ Pathological Assessment



QEEGhome Clinical Report


Navid Karami






Denoising Information


Eye Open





Denoised EEG





Total Recording Time Remaining: 240.00 sec

Number of Eye and Muscle Elements Eye: 2

Eye: 2 Muscle: 0

Low Artifact Percentage

0

High Artifact Percentage

Total Artifact Percentage


EEG Quality: good





Pathological Assessment

Main Diagnosis: Children Disorder



ADHD Subtypes

1. Prone to moody behavior and temper tantrums. May be anxious, may be highly intelligent, need sufficient sleep, and should avoid high carbohydrate intake. Avoide stimulants,


Description

According to the guidelines, psychiatric disorders in children (under 17 years) include ADHD, learning disorder (LD), PTSD, OCD, depression, and anxiety. In the above graph, the red area shows the percentage of each disorder from your patient's EEG markers. Observe that each disorder marker is not unique and can be shared with others.

References:

Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2025). Kaplan and Sadock's comprehensive textbook of psychiatry (11th ed., Vols. 1–2). Wolters Kluwer Sadock, B. J., Sadock, V. A., & Ruiz, P. (2022). Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry (12th ed.). Wolters Kluwer


User Manual







QEEG Based Predicting Medication Response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .


Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.






Vigilance



Vigilance Slope 0.05




EEG Neuromarker Values


Neuromarker	Region	Value	Assessment
APF	Frontal	11.00	High
APF	Occipital	11.00	High
Alpha Asymmetry	Frontal	-0.09	Anhedonia
Alpha Asymmetry	Occipital	-0.15	Anhedonia
Beta Asymmetry	Frontal	00.08	Anhedonia
Arousal Level	-	-	Normal
Vigilance Level	- -	04.00	Normal
Vigilance Mean		04.34	Normal
Vigilance Regulation	- -	00.05	Normal
Vigilance 0 Stage (%)	- -	17.08	Normal
Vigilance A1 Stage (%)		00.00	-






EEG Spectra













Z Score Summary Information

Eye Open




Theta/Beta Ratio







Absolute Power-Eye Open



Relative Power-Eye Open

