QEEG Clinical Report

EEGLens





The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Faride Pourrezaei

Gender: Female

Age: 1982-05-26 - 43.5 Handedness: Right

Clinical Data:

Initial diagnosis: MDD-Panic

Medication: Clonazepam-Gabapentin-Paroxetine

Date of Recording: 2025-10-11

Source of Referral: Asayesh Psychiatric Clinic - Dr Torabi

This case belongs to Asayesh Psychiatric Clinic - Dr














Z Score Summary Information

Eye Open



Theta/Beta Ratio











Vigilance








EEG Neuromarker Values


Neuromarker	Region	Value	Assessment
APF	Frontal	09.75	Normal
APF	Occipital	11.00	High
Alpha Asymmetry	Frontal	00.94	Anxiety
Alpha Asymmetry	Occipital	00.06	Anxiety
Beta Asymmetry	Frontal	00.83	Anhedonia
Arousal Level		-	Low
Vigilance Level		06.00	Normal
Vigilance Mean		05.98	Normal
Vigilance Regulation	<u>-</u>	00.07	Normal
Vigilance 0 Stage (%)	<u>-</u>	98.77	High
Vigilance A1 Stage (%)		00.00	-






EEG Spectra












QEEG Based Predicting Medication Response



Effect Size

Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.





Report

گزارش:

.1

نتایج تشخیصی:


.1





Denoising Information


Eye Open







Denoised EEG



Flat Channel



Total Recording Time Remaining:
163.47 sec

Number of Eye and Muscle Elements
Eye: 2
Muscle: 0

Low Artifact Percentage

High Artifact Percentage


Total Artifact Percentage

EEG Quality: good






Absolute Power-Eye Open



Relative Power-Eye Open





■ EEG Quality

ΕO




Z-score Information

Generation Source Relative Power Absolute Power Office Power Absolute Power Office Power Office

EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
AFP - EO	Frontal	09.75	Normal
AFP - EO	Occipital	11.00	High
Arousal Level - EO		-	Low

■ Pathological Assessment



QEEGhome Clinical Report