QEEG Clinical Report

EEGLens

The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Ali Hayati
Gender: Male
Age: 1994-04-21 - 31.6
Handedness: Right

Clinical Data:

Initial diagnosis: Depression-Panic
Medication: -
Date of Recording: 2025-10-15
Source of Referral: Asayesh Psychiatric Clinic - Dr Torabi

This case belongs to Asayesh Psychiatric Clinic - Dr

Z Score Summary Information

Eye Close

Absolute Power

Relative Power

Generation Source



Coherence

Eye Open

Absolute Power



Relative Power

Generation Source



Coherence



Theta/Beta Ratio

Eye Close



Raw ThetaBeta | Z- ThetaBeta EC

Eye Open



Raw ThetaBeta | Z- ThetaBeta EC

Vigilance



Vigilance Slope

EC:-0.46 2min **EO:-0.07** 2min



EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
APF - EO	Frontal	11.00	High
AFP - EC	Frontal	10.42	Normal
APF - EO	Occipital	11.00	High
AFP - EC	Occipital	10.62	Normal
Alpha Asymmetry - EO	Frontal	00.03	Anxiety
Alpha Asymmetry - EC	Frontal	00.05	Anxiety
Alpha Asymmetry - EO	Occipital	-0.10	Anhedonia
Alpha Asymmetry - EC	Occipital	-0.18	Anhedonia
Beta Asymmetry - EO	Frontal	00.42	Anhedonia
Beta Asymmetry - EC	Frontal	00.25	Anhedonia
Alpha Blocking	O2	-	Observed
Arousal Level - EO	-	-	Normal
Arousal Level - EC	-	-	Normal
Vigilance Level - EO	-	06.00	Normal
Vigilance Level - EC	-	00.00	Low
Vigilance Mean - EO	-	05.39	Normal
Vigilance Mean - EC	-	01.10	Low
Vigilance Regulation - EO	-	-0.07	Normal
Vigilance Regulation - EC	-	-0.46	Normal
Vigilance 0 Stage (%) - EO	-	69.31	Normal
Vigilance 0 Stage (%) - EC	-	00.00	Normal
Vigilance A1 Stage (%) – EO	-	00.00	-
Vigilance A1 Stage (%) – EC	-	00.00	-

EEG Spectra


EC1
EO1
Delta
1 HZ
1 HZ
Theta
4 HZ
4.5 HZ
Alpha
10 HZ
10 HZ
Beta
15 HZ
13 HZ
HBeta
30 HZ
28 HZ
1
0


Fp1
Fp2
F7
F3
Fz
F4
F8
T3
C3
Cz
C4
T4
T5
P3
Pz
P4
T6
O1
O2
12.6
6.3
0
10
20
30
EC1
EO1



QEEG Based Predicting Medication Response





Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

Report

گزارش:

.1

نتایج تشخیصی:

.1

rTMS Response Prediction

Network Performance

Accuracy: 92.10%
Sensitivity: 89.13%
Specificity: 97.47%

Participants Information





Features Information



Responsibility



Data Distribution



About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.

Pathological Assessment

Main Diagnosis: Panic Disorder



Description

According to the guidelines, the initial diagnosis of panic disorder could have comorbidities such as **alcohol abuse, depression, and OCD**. It also differentially diagnoses with **depression, anxiety, and schizophrenia**.
In the above graph, the **red area** shows the percentage of each comorbidity from your patient's EEG markers. Observe that each comorbidity marker is not unique and can be shared with other comorbidities.
Side circles in the above graph represent the differential diagnosis between depression and its misdiagnosis conditions based on your patient's EEG markers and trained artificial intelligence. The differential diagnosis probability is represented by **the bold blue bars** in the circles, and the probability of depression is represented by the **gray** bars.
Note: In case your patient has drug abuse, obtain the substance abuse pathologic page of QEEGhome by registering the diagnosis under the initial diagnoses section of the website.

References:
Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2025). Kaplan and Sadock's comprehensive textbook of psychiatry (11th ed., Vols. 1–2). Wolters Kluwer
Sadock, B. J., Sadock, V. A., & Ruiz, P. (2022). Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry (12th ed.). Wolters Kluwer

User Manual



Denoising Information

Eye Close

Raw EEG



Rejected Channel

Denoised EEG



Flat Channel

Total Recording Time Remaining:
235.14 sec

Number of Eye and Muscle Elements
Eye: 2
Muscle: 1

Low Artifact Percentage

High Artifact Percentage

Total Artifact Percentage

EEG Quality: good

Eye Open

Raw EEG



Rejected Channel

Denoised EEG



Flat Channel

Total Recording Time Remaining:
101.13 sec

Number of Eye and Muscle Elements
Eye: 3
Muscle: 2

Low Artifact Percentage

High Artifact Percentage

Total Artifact Percentage

EEG Quality: perfect

Absolute Power-Eye Close



Relative Power-Eye Close



Absolute Power-Eye Open



Relative Power-Eye Open



EEG Quality



Z-score Information

EC



EO



TMS Reponsibility



Pathological Assessment



EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
APF - EO	Frontal	11.00	High
AFP - EC	Frontal	10.42	Normal
APF - EO	Occipital	11.00	High
AFP - EC	Occipital	10.62	Normal
Arousal Level - EO	-	-	Normal
Arousal Level - EC	-	-	Normal