QEEG Clinical Report

EEGLens





The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Seyyedmahdi Moghadasniya

Gender: Male

Age: 2012-08-20 - 13.3 Handedness: Right

Clinical Data:

Initial diagnosis: Stress-Stuttering

Medication: -

Date of Recording: 2025-10-20

Source of Referral: Asayesh Psychiatric Clinic - Dr Torabi

This case belongs to Asayesh Psychiatric Clinic - Dr













Z Score Summary Information


Eye Close



Eye Open




Theta/Beta Ratio








Vigilance






EEG Neuromarker Values

| Neuromarker | Region | Value | Assessment |
|-----------------------------|-----------|--------|--------------|
| APF - EO | Frontal | 09.50 | Normal |
| APF - EC | Frontal | 09.42 | Normal |
| APF - EO | Occipital | 09.75 | Normal |
| APF - EC | Occipital | 09.12 | Normal |
| Alpha Asymmetry - EO | Frontal | -0.51 | Anhedonia |
| Alpha Asymmetry - EC | Frontal | -0.02 | Anhedonia |
| Alpha Asymmetry - EO | Occipital | 00.00 | Anxiety |
| Alpha Asymmetry - EC | Occipital | -0.29 | Anhedonia |
| Beta Asymmetry - EO | Frontal | -0.53 | Anxiety |
| Beta Asymmetry - EC | Frontal | -0.24 | Anxiety |
| Alpha Blocking | - | - | Not Observed |
| Arousal Level - EO | - | - | Normal |
| Arousal Level - EC | - | - | Low |
| Vigilance Level - EO | - | 06.00 | Normal |
| Vigilance Level - EC | - | 04.00 | Normal |
| Vigilance Mean - EO | - | 06.00 | Normal |
| Vigilance Mean - EC | - | 03.26 | Normal |
| Vigilance Regulation - EO | - | -0.00 | Normal |
| Vigilance Regulation - EC | - | -0.23 | Normal |
| Vigilance 0 Stage (%) - E0 | - | 100.00 | High |
| Vigilance 0 Stage (%) - EC | - | 00.00 | Normal |
| Vigilance A1 Stage (%) – E0 | - | 00.00 | - |
| Vigilance A1 Stage (%) – EC | - | 16.00 | - |
| | | | |






EEG Spectra







QEEG Based Predicting Medication Response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.





Report

گزارش:

.1

نتایج تشخیصی:


.1





Pathological Assessment

Main Diagnosis: Children Disorder



ADHD Subtypes

1. Same inattentive and hyperactive prevalence, may be anxious, may be highly intelligent, need sufficient sleep, and should avoid high arbohydrate inbtake. Consider clonidine

Description

According to the guidelines, psychiatric disorders in children (under 17 years) include ADHD, learning disorder (LD), PTSD, OCD, depression, and anxiety. In the above graph, the red area shows the percentage of each disorder from your patient's EEG markers. Observe that each disorder marker is not unique and can be shared with others.

References: Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2025). Kaplan and Sadock's comprehensive textbook of psychiatry (11th ed., Vols. 1–2). Wolters Kluwer Sadock, B. J., Sadock, V. A., & Ruiz, P. (2022). Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry (12th ed.). Wolters Kluwer

User Manual








Denoising Information

Eye Close



Rejected Channel



Flat Channel

Total Recording Time Remaining:

50.15 sec

Number of Eye and Muscle Elements

Eye: 1 Muscle: 0

Low Artifact Percentage




High Artifact Percentage



Total Artifact Percentage



EEG Quality: good



Eye Open

Rejected Channel



Total Recording Time Remaining:

79.19 sec

Number of Eye and Muscle Elements

Eye: 5 Muscle: 0

Low Artifact Percentage




High Artifact Percentage




Total Artifact Percentage



EEG Quality: good











Absolute Power-Eye Close




Relative Power-Eye Close








Absolute Power-Eye Open




Relative Power-Eye Open





■ EEG Quality EC EO Z-score Information EC EO

■ Pathological Assessment



■ EEG Neuromarker Values

| Neuromarker | Region | Value | Assessment |
|--------------------|-----------|-------|------------|
| APF - E0 | Frontal | 09.50 | Normal |
| AFP - EC | Frontal | 09.42 | Normal |
| APF - EO | Occipital | 09.75 | Normal |
| AFP - EC | Occipital | 09.12 | Normal |
| Arousal Level - EO | - | - | Normal |
| Arousal Level - EC | - | - | Low |