

QEEG Clinical Report

EEGLens



The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Rafighe Banayemasoumi
Gender: Female
Age: 1960-05-22 - 65.5
Handedness: Right


Clinical Data:

Initial diagnosis: -
Medication: Clonazepam-Clonidine
Date of Recording: 2025-10-20
Source of Referral: Dr Raisie


This case belongs to Dr Raisie

Z Score Summary Information

■ Eye Close




■ Eye Open




Theta/Beta Ratio



■ Eye Close



■ Eye Open




Vigilance





EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
APF - EO	Frontal	10.42	High
APF - EC	Frontal	10.00	Normal
APF - EO	Occipital	11.75	High
APF - EC	Occipital	10.75	High
Alpha Asymmetry - EO	Frontal	-0.22	Anhedonia
Alpha Asymmetry - EC	Frontal	-0.23	Anhedonia
Alpha Asymmetry - EO	Occipital	-0.00	Anhedonia
Alpha Asymmetry - EC	Occipital	-0.15	Anhedonia
Beta Asymmetry - EO	Frontal	-0.17	Anxiety
Beta Asymmetry - EC	Frontal	-0.36	Anxiety
Alpha Blocking	O1	-	Observed
Arousal Level - EO	-	-	Normal
Arousal Level - EC	-	-	Normal
Vigilance Level - EO	-	06.00	Normal
Vigilance Level - EC	-	00.00	Low
Vigilance Mean - EO	-	05.98	Normal
Vigilance Mean - EC	-	00.23	Low
Vigilance Regulation - EO	-	-0.04	Normal
Vigilance Regulation - EC	-	00.03	Normal
Vigilance 0 Stage (%) - EO	-	98.97	High
Vigilance 0 Stage (%) - EC	-	00.00	Normal
Vigilance A1 Stage (%) - EO	-	00.00	-
Vigilance A1 Stage (%) - EC	-	00.00	-

EEG Spectra



QEEG Based Predicting Medication Response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmacoe EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

Report

گزارش:

1.

نتایج تشخیصی:

1.


rTMS Response Prediction

Network Performance


Accuracy: 92.10%
Sensitivity: 89.13%
Specificity: 97.47%

Participants Information


Distribution of Gender




Distribution of Age




Features Information



Responsibility



Data Distribution




About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.

Denoising Information

Eye Close

Raw EEG



Rejected Channel



Total Recording Time Remaining:

195.20 sec

Number of Eye and Muscle Elements

Eye: 2

Muscle: 2

Low Artifact Percentage



High Artifact Percentage




Total Artifact Percentage



EEG Quality: perfect

Denoised EEG




Flat Channel



Eye Open

Raw EEG



Rejected Channel



Total Recording Time Remaining:

223.96 sec

Number of Eye and Muscle Elements

Eye: 2

Muscle: 4

Low Artifact Percentage



High Artifact Percentage




Total Artifact Percentage



EEG Quality: perfect


Denoised EEG




Flat Channel




Absolute Power-Eye Close




Relative Power-Eye Close



Absolute Power-Eye Open




Relative Power-Eye Open




EEG Quality



Z-score Information



TMS Responsibility



EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
APF - EO	Frontal	10.42	High
AFP - EC	Frontal	10.00	Normal
APF - EO	Occipital	11.75	High
AFP - EC	Occipital	10.75	High
Arousal Level - EO	-	-	Normal
Arousal Level - EC	-	-	Normal