

QEEG Clinical Report

EEGLens



The QEEG report is provided by NPCindex Company, operating under the QEEGhome brand.

Personal Data:

Name: Viyana Vafadar
Gender: Female
Age: 2018-07-06 - 7.4
Handedness: Right


Clinical Data:

Initial diagnosis: Anxiety-L.D
Medication: -
Date of Recording: 2025-10-20
Source of Referral: Dr Dinarvand




This case belongs to Dr Dinarvand


EEG Quality



Z-score Information



Pathological Assessment




EEG Neuromarker Values

Neuromarker	Region	Value	Assessment
APF - EO	Frontal	09.25	High
AFP - EC	Frontal	09.25	High
APF - EO	Occipital	09.75	High
AFP - EC	Occipital	09.25	High
Arousal Level - EO	-	-	Normal
Arousal Level - EC	-	-	Normal

Denoising Information

Eye Close

Raw EEG



Rejected Channel



Total Recording Time Remaining:
232.98 sec

Number of Eye and Muscle Elements

Eye: 3

Muscle: 1

Low Artifact Percentage



High Artifact Percentage




Total Artifact Percentage



EEG Quality: perfect

Denoised EEG




Flat Channel



Eye Open

Raw EEG



Rejected Channel



Total Recording Time Remaining:
218.83 sec

Number of Eye and Muscle Elements

Eye: 3

Muscle: 2

Low Artifact Percentage



High Artifact Percentage




Total Artifact Percentage



EEG Quality: perfect

Denoised EEG




Flat Channel



Pathological Assessment

Main Diagnosis: Children Disorder



ADHD Subtypes

1. Prone to moody behavior and temper tantrums. May respond to stimulants, consider anticonvulsants or clonidine, avoid SSRI.

Description

According to the guidelines, psychiatric disorders in children (under 17 years) include *ADHD*, *learning disorder (LD)*, *PTSD*, *OCD*, *depression*, and *anxiety*. In the above graph, the red area shows the percentage of each disorder from your patient's EEG markers. Observe that each disorder marker is not unique and can be shared with others.


References:

Sadock, B. J., Sadock, V. A., & Ruiz, P. (Eds.). (2025). *Kaplan and Sadock's comprehensive textbook of psychiatry* (11th ed., Vols. 1–2). Wolters Kluwer
 Sadock, B. J., Sadock, V. A., & Ruiz, P. (2022). *Kaplan and Sadock's synopsis of psychiatry: Behavioral sciences/clinical psychiatry* (12th ed.). Wolters Kluwer

■ User Manual



Vigilance




Vigilance Slope

EC: -0.09

EO: -0.27

2min


2min



EEG Neuromarker Values


Neuromarker	Region	Value	Assessment
APF - EO	Frontal	09.25	High
APF - EC	Frontal	09.25	High
APF - EO	Occipital	09.75	High
APF - EC	Occipital	09.25	High
Alpha Asymmetry - EO	Frontal	-0.03	Anhedonia
Alpha Asymmetry - EC	Frontal	00.05	Anxiety
Alpha Asymmetry - EO	Occipital	00.03	Anxiety
Alpha Asymmetry - EC	Occipital	-0.04	Anhedonia
Beta Asymmetry - EO	Frontal	-0.12	Anxiety
Beta Asymmetry - EC	Frontal	-0.05	Anxiety
Alpha Blocking	-	-	Not Observed
Arousal Level - EO	-	-	Normal
Arousal Level - EC	-	-	Normal
Vigilance Level - EO	-	06.00	Normal
Vigilance Level - EC	-	04.00	Normal
Vigilance Mean - EO	-	05.57	Normal
Vigilance Mean - EC	-	03.97	Normal
Vigilance Regulation - EO	-	-0.27	Normal
Vigilance Regulation - EC	-	-0.09	Normal
Vigilance 0 Stage (%) - EO	-	78.44	High
Vigilance 0 Stage (%) - EC	-	00.00	Normal
Vigilance A1 Stage (%) - EO	-	00.00	-
Vigilance A1 Stage (%) - EC	-	46.79	-

EEG Spectra




Z Score Summary Information

■ Eye Close




■ Eye Open




Theta/Beta Ratio


■ Eye Close




■ Eye Open




Absolute Power-Eye Close



Relative Power-Eye Close



Absolute Power-Eye Open



Relative Power-Eye Open

