





Report Description

Personal & Clinical Data


Name	Mohammad Salehshojaii	Date of Recording	22-Oct-2024
Date of Birth - Age	09-Nov-2010 - 13.95	Gender	Male
Handedness(R/L)	Right	Source of Referral	Reyhan Clinic
Initial Diagnosis	OCD-Anxiety		
Current Medication	Sertraline-Ritalin		

Reyhan Clinic





Denoising Information (EC)



Number of Eye and Muscle Elements		Low Artifact Percentage			
Eye	2	Muscle	0	0	
Total Artifact Percentage		High Artifact Percentage			
0					
EEG Quali	ity	good		Total Recording Time Remaining	249.48 sec





Pathological assessment for ADHD

Compare to ADHD Database












EEG Compatibility with ADHD Diagnosis

ADHD Table	EC			
Feature Name	Threshold	Region		
Increased rDelta	0.00	NAN		
Increased rTheta	0.00	NAN		
Increased rAlpha	0.50	global		
Increased rBeta	0.00	NAN		
Decreased SMR	0.00	NAN		
Increased T/B Ratio	0.00	NAN		
ADHD 10	20	30 40 50 60 70 80 90 100 ADHD Compatibility		
ADHD Probability				

Arousal Level Detection



ADHD Clustering


1. Least impulsive group, almost only inattentive. May respond to stimulants.

^{*} If there is Paroxymal epileptic discharge in EEG data, this case needs sufficient sleep and should avoid high carbohydrate intake. You can consider anticonvulsant medications.





QEEG based predicting medication response



Explanation



Medication Recommendation


These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com.

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.






Alpha Asymmetry(AA)




APF(EC)



Frontal APF= 09.08

Posterior APF= 09.00

Absolute Power-Eye Closed (EC) 🌮
































Relative Power-Eye Closed (EC) 🌮


































Z Score Summary Information (EC)




E.C.T/B Ratio (Raw- Z Score)





EEG Spectra



Arousal Level

