

Report Description

Personal & Clinical Data


Name	Azar Sadeghi	Date of Recording	22-Oct-2024				
Date of Birth - Age	24-Dec-1990 - 33.83	Gender	Female				
Handedness(R/L)	Right	Source of Referral	Reyhan Clinic				
Initial Diagnosis	Anxiety,Memory Check						
Current Medication	Medication Free						

Reyhan Clinic





Denoising Information (EC)




Number of Eye and Muscle Elements				Low Artifact Percentage				
Eye	0	Muscle	0	0				
Total Artifact Percentage				High Artifact Percentage				
				0				
EEG Quality good		Total Recording Time Remaining	251.31 sec					






Pathological assessment for mood disorders


Compare to Mood Disorders Database



EEG Compatibility with Depression Diagnosis



EEG Compatibility with Anxiety Diagnosis







EEG Compatibility with Mood Swings Diagnosis *

М	lood Swings Table	EC									
	Feature Name	Threshold Region									
0	ecreased rAlpha	0.00	00 NAN								
Incre	eased (rDelta+rTheta)	0.00	NAN								
	Increased rBeta	0.00	NAN								
Decre	ased Alpha Coherence	e 0.00 NA			NAN						
Right FAA 0.00		0.00	NAN								
	BMD	20	30	40 Mood S	50 Swing Compa	60 atibility	70	80	90	100	
Mood Swings Probability											

* This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).

Cognitive Functions

Arousal Level Detection











rTMS Response Prediction

Network Performance


Accuracy: 92.1% Sensitivity: 89.13% Specificity: 97.47%




Features Information







Data Distribution




About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.






Alpha Asymmetry(AA)




APF(EC)





Frontal APF= 09.25


Posterior APF= 09.75


Absolute Power-Eye Closed (EC) 🥟















Relative Power-Eye Closed (EC) 🌮


















Z Score Summary Information (EC)





E.C.T/B Ratio (Raw- Z Score)





EEG Spectra





Arousal Level

