





## QEEG Clinical Report BrainLens V0.4

## Report Description

## Personal & Clinical Data

Name	Tahaahmadi	Date of Recording	22-Dec-2024
Date of Birth - Age	14-Mar-2008 - 16.77	Gender	Male
Handedness(R/L)	Right	Source of Referral	Ms Mazloumi
Initial Diagnosis		-	
Current Medication		-	

Ms Mazloumi

## Summary Report

Z-score Information






# Non-responder Responder Probability


TMS Responsibility








## Compatibility with ADHD



#### Arousal Level






Posterior APF-EC= 10.62

To investigate QEEG-based predicting medication response, please refer to the Report.





## Denoising Information (EC)




Number of Eye and Muscle Elements				Low Artifact Percentage	
Eye	0	Muscle	0	0	
Total Artifact Percentage				High Artifact Percentage	
				0	
<b>EEG Quali</b>	ity	bad		Total Recording Time Remaining	23.87 sec







## Pathological assessment for ADHD

#### **Compare to ADHD Database**




## **EEG Compatibility with ADHD Diagnosis**





#### **Arousal Level Detection**



## **ADHD Clustering \***

1. Least impulsive group, almost only inattentive. May respond to stimulants.

\* If there is Paroxymal epileptic discharge in EEG data, this case needs sufficient sleep and should avoid high carbohydrate intake.

You can consider anticonvulant medications.






#### rTMS Response Prediction


#### Network Performance

Accuracy: 92.1% Sensitivity: 89.13% Specificity: 97.47%


#### Participants Information




#### Features Information



#### ----Responsibility



#### Data Distribution




#### About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.






## Alpha Asymmetry(AA)




## APF(EC)



Frontal APF= 10.58


Posterior APF= 10.62


## 🚃 Absolute Power-Eye Closed (EC) 🀠













## Relative Power-Eye Closed (EC) 🌮





















## Z Score Summary Information (EC)





## E.C.T/B Ratio ( Raw- Z Score)





## EEG Spectra







## Arousal Level

