NPCindex | QEEGhome

QEEG Clinical Report

BrainLens V0.4

Report Description

Personal & Clinical Data

Name	Amirmohammad Tavasoli	Date of Recording	02-Oct-2024
Date of Birth - Age	05-Mar-2018 - 6.57	Gender	Male
Handedness(R/L)	Right	Source of Referral	Dr AtefeSafavi
Initial Diagnosis	initial assessment		
Current Medication	Medication Free		

Dr AtefeSafavi

Amirmohammad Tavasoli \Dr AtefeSafavi

Denoising Information (EC)

Raw EEG



Denoised EEG



Flat Channels

Rejected Channels

Number of Eye and Muscle Elements				Low Artifact Percentage	
Eye	1	Muscle	1		
Total Artifact Percentage				High Artifact Percentage	
EEG Quality	bad			Total Recording Time Remaining	132.85 sec

Denoising Information (EO)

Raw EEG



Denoised EEG



Flat Channels

Rejected Channels

Number of Eye and Muscle Elements				Low Artifact Percentage	
Eye	2	Muscle	0		
Total Artifact Percentage				High Artifact Percentage	
EEG Quality	bad			Total Recording Time Remaining	159.28 sec

Amirmohammad Tavasoli \Dr AtefeSafavi

Pathological assessment for ADHD

Compare to ADHD Database



EEG Compatibility with ADHD Diagnosis

ADHD Table	EC		EO	
Feature Name	Threshold	Region	Threshold	Region
Increased rDelta	0.00	NAN	0.50	global
Increased rTheta	0.00	NAN	0.00	NAN
Increased rAlpha	1.00	global	0.00	NAN
Increased rBeta	0.00	NAN	0.00	NAN
Decreased SMR	0.00	NAN	0.00	NAN
Increased T/B Ratio	0.00	NAN	0.00	NAN



ADHD Probability

Arousal Level Detection



ADHD Clustering *

1. Least impulsive group, almost only inattentive. May respond to stimulants.
2. May be artistic/creative, may have affective regulatory dysfunction. May respond to SSRI.

* If there is Paroxymal epileptic discharge in EEG data, this case needs sufficient sleep and should avoid high carbohydrate intake. You can consider anticonvulsant medications.

QEEG based predicting medication response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

Amirmohammad Tavasoli \Dr AtefeSafavi

APF(EO)



Frontal APF= 09.58

Posterior APF= 09.38

APF(EC)



Frontal APF= 08.83

Posterior APF= 08.62

EEG Spectra





Alpha Asymmetry(AA)



Alpha Blocking



Amirmohammad Tavasoli \Dr AtefeSafavi

Z Score Summary Information (EC)



Z Score Summary Information (EO)



E.C.T/B Ratio (Raw- Z Score)





Arousal Level



E.O.T/B Ratio (Raw- Z Score)







Absolute Power-Eye Closed (EC)



Relative Power-Eye Closed (EC)



Amirmohammad Tavasoli \Dr AtefeSafavi

Absolute Power-Eye Open (EO)



Relative Power-Eye Open (EO)