

Report Description

Personal & Clinical Data


Name	Davoud Khazaei	Date of Recording	08-Oct-2024
Date of Birth - Age	13-Jan-1998 - 26.74	Gender	Male
Handedness(R/L)	Right	Source of Referral	Reyhan Clinic-Dr Javadifar
Initial Diagnosis	Adult ADHD –OCD-Tremor		
Current Medication	Clomipramine-Fluvoxamine-Sertraline		

Reyhan Clinic-Dr Javadifar





Denoising Information (EC)




Number of Eye and Muscle Elements		Low Artifact Percentage			
Eye	1	Muscle	0	0	
Total Artifact Percentage		High Artifact Percentage			
0					
EEG Quali	ity	good		Total Recording Time Remaining	265.82 sec





Pathological assessment for mood disorders


Compare to Mood Disorders Database



EEG Compatibility with Depression Diagnosis

Depression Table	EC			
Feature Name	Threshold	Region		
Increased Global rAlpha	0.00	NAN		
Increased global rTheta	1.00	global		
Decreased rDelta	0.00	NAN		
Increased rBeta	0.00	NAN		
Left FAA	-0.04	Left FAA		
Right OAA	0.05	Right OAA		
Decreased Coherence (D, T)	0.00	NAN		
Increased Coherence (A, B)	2.00	Increased Coherence (A,B)		
depression 0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 40 50 60 70 80 90 100 Depression Compatibility		
Depression Probability				


EEG Compatibility with Anxiety Diagnosis







EEG Compatibility with Mood Swings Diagnosis *



* This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).

Arousal Level Detection







Pathological assessment for adult ADHD

Compare to Adult ADHD Database












Cognitive Functions



Arousal Level Detection








rTMS Response Prediction


Network Performance

Accuracy: 92.1% Sensitivity: 89.13% Specificity: 97.47%


Participants Information




Features Information



Responsibility



Data Distribution




About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.






Alpha Asymmetry(AA)



APF(EC)





Frontal APF= 08.58


Posterior APF= 08.62

Absolute Power-Eye Closed (EC) 🌮














Relative Power-Eye Closed (EC) 🌮


















Z Score Summary Information (EC)





E.C.T/B Ratio (Raw- Z Score)






EEG Spectra







Arousal Level

