



QEEG Clinical Report

BrainLens V0.4

Report Description




Personal & Clinical Data

Name	Noura Mashhadi	Date of Recording	15-Apr-2024
Date of Birth - Age	30-Apr-2018 - 5.96	Gender	Female
Handedness(R/L)	Right	Source of Referral	Dr Saemi
Initial Diagnosis	Irritability-Impulsivity- Hyperactivity-Epilepsy-TIC-PIC		
Current Medication	Medication Free		

Dr Saemi

Denoising Information (EC)

Raw EEG



Denoised EEG

Flat Channels




Rejected Channels



Number of Eye and Muscle Elements				Low Artifact Percentage	
Eye	0	Muscle	0		
Total Artifact Percentage				High Artifact Percentage	
EEG Quality		bad		Total Recording Time Remaining	279.39 sec

Denoising Information (EO)

Raw EEG



Denoised EEG

Flat Channels




Rejected Channels



Number of Eye and Muscle Elements				Low Artifact Percentage	
Eye	0	Muscle	0		
Total Artifact Percentage				High Artifact Percentage	
EEG Quality		bad		Total Recording Time Remaining	268.17 sec

Pathological assessment for ADHD

Compare to ADHD Database



EEG Compatibility with ADHD Diagnosis


ADHD Table	EC		EO	
Feature Name	Threshold	Region	Threshold	Region
Increased rDelta	0.00	NAN	0.00	NAN
Increased rTheta	0.50	frontal	0.50	frontal
Increased rAlpha	0.00	NAN	0.00	NAN
Increased rBeta	0.00	frontal	0.00	frontal
Decreased SMR	-0.50	global	-1.00	global
Increased T/B Ratio	1.00	Fz and Cz	2.00	Fz

ADHD


ADHD Probability

ADHD Probability

Arousal Level Detection




ADHD Severity



ADHD Clustering *

1. Same inattentive and hyperactive prevalence. Well respond to stimulants.
2. Mostly inattentive. Not respond well to methylphenidate, consider neurofeedback or amphetamine-type stimulants.

QEEG based predicting medication response




Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmacoe EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation


These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

IAF(EO)




Eye Open IAF= 07.75

IAF(EC)




Eye Close IAF= 07.75

EEG Spectra




Alpha Asymmetry(AA)




Alpha Blocking





Z Score Summary Information (EC)





Z Score Summary Information (EO)





E.C.T/B Ratio (Raw- Z Score)




E.O.T/B Ratio (Raw- Z Score)




Arousal Level




Absolute Power-Eye Closed (EC)



Relative Power-Eye Closed (EC)



Absolute Power-Eye Open (EO)



Relative Power-Eye Open (EO)

