





QEEG Clinical Report BrainLens V0.4

Report Description

Personal & Clinical Data


Name	Sedighe Bigommirkamali	Date of Recording	28-Aug-2024	
Date of Birth - Age	22-Mar-1955 - 69.43	Gender	Female	
Handedness(R/L)	Right	Source of Referral	Dr Masjedi	
Initial Diagnosis	Anxiety-Sleep Problems-Hand tremor			
Current Medication	Medication Free			

Dr Masjedi





Denoising Information (EC)



Number of Eye and Muscle Elements		Low Artifact Percentage			
Eye	2	Muscle	0	0	
Total Artifact Percentage		High Artifact Percentage			
()					
EEG Quali	ity	bad		Total Recording Time Remaining 2	90.78 sec





Pathological assessment for mood disorders


Compare to Mood Disorders Database



EEG Compatibility with Depression Diagnosis

Depression Table	EC		
Feature Name	Threshold	Region	
Increased Global rAlpha	0.00	NAN	
Increased global rTheta	0.00	NAN	
Decreased rDelta	0.00	NAN	
Increased rBeta	0.00	NAN	
Left FAA	0.00	NAN	
Right OAA	0.11	Right OAA	
Decreased Coherence (D, T)	-0.50	Decreased Coherence (D,T)	
Increased Coherence (A, B)	0.00	NAN	
depression 0	10 20	30 40 50 60 70 80 90 100 Depression Probability	
Depression Probability			


EEG Compatibility with Anxiety Diagnosis







EEG Compatibility with Mood Swings Diagnosis *



* This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).

Depression Severity

Mild

Borderline Moderate Severe Extreme

Anxiety Severity



Arousal Level Detection







Pathological assessment for Dementia


Compare to Dementia Database



Dementia Probability

[Dementia Table	EC		
F	Feature Name	Threshold	Region	
lr	ncreased rDelta	3.00	LF-RF-MF-LT-RT-C-P-O-	
In	creased rTheta	0.00	NAN	
De	ecreased rAlpha	-0.50	LF-RF-MF-LT-RT-C-P-O-	
D	ecreased rBeta	-1.00	LF-RF-MF-LT-RT-C-P-O-	
Inc	creased T/A Ratio	2.00 LF-RF-MF-LT-RT-C-		
Inc	reased D/A Ratio	3.00	LF-RF-MF-LT-RT-C-P-O-	
Decrease	ed (D+T+A+B) Coherence	-0.50	Decreased global Coherence	
	dementia 0	10 20	30 40 50 60 70 80 90 100 Dementia Probability	
Dementia Probability				


Cognitive Impairment Severity







Al-Driven Psychometric Symptoms Assessing



Explanation

Note


The above diagram illustrates the psychometric symptoms based on the SCL90 questionnaire of the subject (green line) and AI (purple line). Combination of non-linear EEG markers have been used to estimate these symptoms using AI. All the AI algorithms used in these analysis have an accuracy more than 97.60%, a sensitivity more than 97.54%, and a specificity more than 97.58%.

If a red square marker appears in the symptom, it means there is a remarkable difference between the subject's questionnaire score and AI estimate. In the other words, the subject's questionnaire score is in the normal to borderline area, but the AI estimate is in the moderate to extreme area or vice versa.





QEEG based predicting medication response



Explanation



These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.






rTMS Response Prediction


Network Performance

Accuracy: 92.1% Sensitivity: 89.13% Specificity: 97.47%


Participants Information




Features Information



Responsibility



Data Distribution




About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.






Alpha Asymmetry(AA)



APF(EC)




Frontal APF= 07.92


Posterior APF= 09.88

Absolute Power-Eye Closed (EC) 🌮




TBI Severity














Relative Power-Eye Closed (EC) 🌮





TBI Probability


TBI Probability


















Z Score Summary Information (EC)





E.C.T/B Ratio (Raw- Z Score)





EEG Spectra





Arousal Level

