NPCindex | QEEGhome

npcindex www.npcindex.com 021-44 47 74 67

QEEG Clinical Report

BrainLens V0.4

Report Description

Personal & Clinical Data

Name	Shiva Abar	Date of Recording	20-Jul-2024
Date of Birth - Age	24-Jun-1987 - 37.07	Gender	Female
Handedness(R/L)	Right	Source of Referral	Dr Saemi
Initial Diagnosis	-		
Current Medication	Medication Free		

Dr Saemi

Shiva Abar\Dr Saemi

Denoising Information (EC)

Raw EEG

Denoised EEG



Flat Channels

Rejected Channels

Number of Eye and Muscle Elements				Low Artifact Percentage
Eye	0	Muscle	1	
Total Artifact Percentage				High Artifact Percentage
EEG Quality	bad			Total Recording Time Remaining 270.28 sec

Denoising Information (EO)

Raw EEG

Denoised EEG



Flat Channels

Rejected Channels

Number of Eye and Muscle Elements				Low Artifact Percentage
Eye	0	Muscle	1	
Total Artifact Percentage				High Artifact Percentage
EEG Quality	bad			Total Recording Time Remaining 214.44 sec

Pathological assessment for mood disorders

Compare to Mood Disorders Database



EEG Compatibility with Depression Diagnosis

Depression Table	EC		EO	
Feature Name	Threshold	Region	Threshold	Region
Increased Global rAlpha	1.00	global	0.50	global
Increased global rTheta	0.00	NAN	0.00	NAN
Decreased rDelta	-0.50	LF-RF-MF-LT-RT-C-P-O-	-0.50	C
Increased rBeta	0.00	NAN	0.00	NAN
Left FAA	-0.19	Left FAA	0.00	NAN
Right OAA	0.00	NAN	0.29	Right OAA
Decreased Coherence (D, T)	-0.50	Decreased Coherence	-0.50	Decreased Coherence
Increased Coherence (A, B)	1.00	Increased Coherence	1.00	Increased Coherence



Depression Probability

EEG Compatibility with Anxiety Diagnosis

Anxiety Table	EC		EO	
Feature Name	Threshold	Region	Threshold	Region
Decreased rAlpha	0.00	NAN	0.00	NAN
Increased rBeta	0.00	NAN	0.00	NAN
Right FAA	0.00	NAN	0.05	Right FAA
Left OAA	-0.03	Left OAA	0.00	NAN
Increased IAF > 10.6	0.00	NAN	0.00	NAN



Anxiety Probability

Shiva Abar\Dr Saemi

EEG Compatibility with Mood Swings Diagnosis*

Mood Swings Table	EC		EO	
Feature Name	Threshold	Region	Threshold	Region
Decreased rAlpha	0.00	NAN	0.00	NAN
Increased (rDelta+rTheta)	0.00	NAN	0.50	RF
Increased rBeta	0.00	NAN	0.00	NAN
Decreased Alpha Coherence	-0.50	Decreased Alpha	-0.50	Decreased Alpha
Right FAA	0.00	NAN	0.05	Right FAA



Mood Swings Probability

* This index can only be investigated if there are symptoms of mood swings (R/O BMD or R/O mood swings).

Depression Severity

Anxiety Severity

Cognitive Functions



Arousal Level Detection



QEEG based predicting medication response



Explanation

These two tables can be considered the most important finding that can be extracted from QEEG. To prepare this list, the NPCIndex Article Review Team has studied, categorized, and extracted algorithms from many authoritative published articles on predict medication response and Pharmaco EEG studies. These articles are published between 1970 and 2021. The findings extracted from this set include 85 different factors in the raw band domains, spectrum, power, coherence, and loreta that have not been segregated to avoid complexity, and their results are shown in these diagrams. One can review details in NPCIndex.com .

Medication Recommendation

These two charts, calculate response probability to various medications, according only to QEEG indicators. Blue charts favor drug response and red charts favor drug resistance. The longer the bar, the more evidence there is in the articles. Only drugs listed in the articles are listed. These tables present the indicators reviewed in the QEEG studies and are not a substitute for physician selection.

Shiva Abar\Dr Saemi

rTMS Response Prediction

Network Performance

Accuracy: 92.1%
Sensitivity: 89.13%
Specificity: 97.47%

Participants Information







Features Information



Responsibility



Data Distribution



About Predicting rTMS Response

This index was obtained based on machine learning approaches and by examining the QEEG biomarkers of more than 470 cases treated with rTMS. The cases were diagnosed with depression (with and without comorbidity) and all were medication free. By examining more than 40 biomarkers capable of predicting response to rTMS treatment in previous studies and with data analysis, finally 10 biomarkers including bispectral and nonlinear features entered the machine learning process. The final chart can distinguish between RTMS responsive and resistant cases with 92.1% accuracy. This difference rate is much higher than the average response to treatment of 44%, in the selection of patients with clinical criteria, and is an important finding in the direction of personalized treatment for rTMS.

Shiva Abar\Dr Saemi

IAF(EO)



Eye Open IAF= 09.50

IAF(EC)



Eye Close IAF= 09.75

EEG Spectra



Alpha Asymmetry(AA)



Alpha Blocking

Shiva Abar\Dr Saemi

Z Score Summary Information (EC)



Z Score Summary Information (EO)



E.C.T/B Ratio (Raw- Z Score)





Arousal Level



E.O.T/B Ratio (Raw- Z Score)







Absolute Power-Eye Closed (EC)



Relative Power-Eye Closed (EC)



Shiva Abar\Dr Saemi

Absolute Power-Eye Open (EO)



Relative Power-Eye Open (EO)